
WELCOME!

Monthly EnviroDIY-DRWI User Group Meeting

Online, Thursday July 15, 2021, 2:30-3:30p



These Monthly Meetings

- Every third Thursday of the month
- 2:30-3:30p
- Zoom link will remain the same: https://us02web.zoom.us/j/81881801310?pwd=eUFmbXZLbmRibV cxa1dtNVhzRmNvZz09
- Reminder email will be sent one week prior to each month's meeting
 - Station owners/managers organize volunteers/others to attend and share Zoom link




REMINDER

- Attendees include:
 - Groups working in Delaware River Watershed Initiative (DRWI)
 - Groups working in Delaware River Basin (DRB) but not DRWI
- Stroud Center support via DRWI and C-SAW



Delaware River Watershed Initiative (DRWI)

https://4states1source.org/





C-SAW

https://www.c-saw.info/



What is C-SAW?

The Consortium for Scientific Assistance to Watersheds (C-SAW) is a team of specialists who provide *free* organizational and scientific technical assistance to Pennsylvania-based watershed and conservation organizations.

C-SAW does not conduct watershed monitoring or assessments. Instead, C-SAW helps watershed organizations do a better job with their own monitoring and assessments.



Goals for these monthly meetings

- Time/space to check-in, ask questions, report issues, network, etc.
- Updates from Stroud Center
- Presentations
 - Station Owner/Manager Presentations communicate about individual situations, local watershed work
 - Focus Topic Presentations guest presenters talk about technical/ecological/other focus topics

*All of this to support gathering good data and using it purposefully



Facilitators

Stroud Center Facilitators:

David Bressler, Rachel Johnson, Christa Reeves, Shannon Hicks









Master Watershed Steward Facilitators:

Carol Armstrong, George Seeds (Chester & Delaware Co.)












*Meeting is being recorded




*Mute unless asking question



These Monthly Meetings

Recordings available at: https://wikiwatershed.org/drwi/






Stroud Center Perspective – EnviroDIY in DRWI

Primary Goal

- Support Station owners, managers, and volunteers
- Use stations for local purposes
- Secondary Goal
 - Analyze basin-wide data set
 - Develop tools to characterize and contextualize watersheds





Today's Agenda

- 1. Introduction
- 2. Stroud Updates
- 3. Presentation: Mike Burns, Villanova University
- 4. Discussion
- 5. Conclusion



 Stroud Center will be collecting chemistry grab samples at all active EnviroDIY monitoring stations this summer/fall

Suspended Sediments (mg/L)
DOC (μg C/L)
CI (mg/L) from SEAL
NH4N (mg/L) from SEAL
NO3N (mg/L) from SEAL
PO4P (mg/L) from SEAL
TN (mg/L) from SEAL
TP (mg/L) from SEAL
AL from DE-ICP (mg/L)
B from DE-ICP (mg/L)
CA from DE-ICP (mg/L)
CU from DE-ICP (mg/L)
FE from DE-ICP (mg/L)
K from DE-ICP (mg/L)
MG from DE-ICP (mg/L)
MN from DE-ICP (mg/L)
NA from DE-ICP (mg/L)
P from DE-ICP (mg/L)
S from DE-ICP (mg/L)
SI from DE-ICP (mg/L)
ZN from DE-ICP (mg/L)

*Currently contacting station owners regarding access



New, pilot – Service Request Form



EnviroDIY Monitoring Station Service Request Form

Please complete this form with as much information as possible to assist Stroud Water Research Center technicians in troubleshooting your problem. For extremely urgent issues please contact the Stroud Center team directly (rjohnson@stroudcenter.org; shicks@stroudcenter.org; dbressler@stroudcenter.org).

*Please note, station assistance is only available to groups working within the Delaware River Basin.



New, pilot – Service Request Form via https://wikiwatershed.org/drwi/

General Resources

- → EnviroDIY Field Visit Data
- EnviroDIY Mayfly Monitoring Station Help Resources

Manual

EnviroDIY Mayfly Monitoring Station Manual

Quick Guides

- EnviroDIY Mayfly Monitoring Station Management Roles and Responsibilities Quick Guide
- EnviroDIY Mayfly Monitoring Station Maintenance Quick Guide
- EnviroDIY Mayfly Monitoring Station Quality Control Quick Guide
- EnviroDIY Mayfly Monitoring Station Data Patterns Quick Guide
- EnviroDIY Mayfly Monitoring Station Time Zone Guide
- Understanding Your EnviroDIY Mayfly Monitoring Station Data

Service Requests

EnviroDIY Service Request Form

Support Supplies

EnviroDIY Mayfly Monitoring Station purchase options for maintenance and quality control

Troubleshooting

- EnviroDIY Mayfly Monitoring Station Troubleshooting Workshop, June 23, 2021
 - Video recording
 - Foundations of EnviroDIY Mayfly Monitoring Station Troubleshooting



Support Supplies

Located at: https://wikiwatershed.org/drwi/

Delaware River Watershed Initiative Resources

General Resources

- EnviroDIY Field Visit Data
- EnviroDIY Mayfly Monitoring Station Help Resources

Manual

. EnviroDIY Mayfly Monitoring Station Manual

Quick Guides

- . EnviroDIY Mayfly Monitoring Station Management Roles and Responsibilities Quick Guide
- EnviroDIY Mayfly Monitoring Station Maintenance Quick Guide
- EnviroDIY Mayfly Monitoring Station Quality Control Quick Guide
- EnviroDIY Mayfly Monitoring Station Data Patterns Quick Guide
- . EnviroDIY Mayfly Monitoring Station Time Zone Guide
- Understanding Your EnviroDIY Mayfly Monitoring Station Data

Service Requests

EnviroDIY Service Request Form

Support Supplies

EnviroDIY Mayfly Monitoring Station purchase options for maintenance and quality control

Troubleshooting

- EnviroDIY Mayfly Monitoring Station Troubleshooting Workshop, June 23, 2021
- Video recording

Formulations of Fortion DIV 845-40, 845-45-45-4 Capation Translations





Equipment and supply list for maintenance and quality control of standard Stroud Center EnviroDIY Monitoring Station (pricing and availability subject to change)

SD cards and adaptors:

- Single micro SD card and SDHC adaptor, \$6.00: https://www.amazon.com/SanDisk-Mobile-MicroSDHC-SDSDQM-B35A-Adapter/dp/B004ZIEMWU
- USB adaptor (for use when computer cannot accommodate SDHC adaptor),
 \$10.99: https://www.amazon.com/Reader-Adapter-Micro-UHS-I-Cards/dp/B07L63Z54G
- Micro SD card and adaptor value pack (5 count), \$19.65: https://www.amazon.com/PACK-SanDisk-MicroSD-SDSDQAB-008G-Packaging/dp/B00MHZ6ZJQ

Power:

- Lipo Charger, PRT-15217, \$9.95:
 - https://www.sparkfun.com/products/15217
 - https://www.digikey.com/en/products/detail/sparkfun-electronics/PRT-15217/10244131
 - o https://www.adafruit.com/product/1904
 - USB wall adapter 5V, TOL-11456, \$3.95:
 - https://www.sparkfun.com/products/11456
 - https://www.digikey.com/en/products/detail/phihong-usa/PSAA05A-050QL6-R/6560437
- Lithium Ion Battery Pack 3.7V 4400mAh, \$19.95:
 - https://www.amazon.com/Battery-Packs-Lithium-Pack-3-7V/dp/B0137IRGHG
 - o https://www.digikey.com/en/products/detail/adafruit-industries-llc/354/5054541
 - https://www.adafruit.com/product/354
- USB Type A to Type C Cable, \$4.95:
 - https://www.adafruit.com/product/4474
 - https://www.digikey.com/en/products/detail/adam-tech/CA-USB-AM-CM-1FT/9830207
 - https://www.sparkfun.com/products/15425

Quick Guide: Recommended Roles/Responsibilities for Managing an EnviroDIY Monitoring Station

Located at: https://wikiwatershed.org/drwi/

General Resources

- EnviroDIY Field Visit Data
- EnviroDIY Monitoring Station Help Resources

Manual

Monitoring station manual on EnviroDIY

Quick Guides

- EnviroDIY Monitoring Stations Management Roles and Responsibilities Quick Guide
- EnviroDIY Maintenance Quick Guide
- EnviroDIY Quality Control Quick Guide
- EnviroDIY Data Patterns Quick Guide
- EnviroDIY Time Zone Guide
- Understanding your EnviroDIY Monitoring Station Data



Station Owner/Manager - ensuring station is managed properly

- Assign individuals to the following roles: 1) desktop monitoring of station functionality via
 Monitor My Watershed, 2) sensor cleaning and station maintenance, and 3) quality control (QC)
- Track above tasks and make sure that they are being accomplished
- Ensure Hologram cell plan is paid to ensure data transmission to Monitor My Watershed

Desktop monitoring of station functionality via Monitor My Watershed (Daily)

- Check site(s) of interest on a daily basis via Monitor My Watershed:
 - o On "Browse Sites" map: Is the station live (i.e., dark green)?
 - Are the quick view data panels showing expected data ranges?
 - Are there any abnormal numbers/patterns in quick view data panels or in Time Series Analyst graphs?
- Contact station owner/manager, maintenance, and/or QC people with any issues identified (e.g., sensor fouling, low battery)

Sensor cleaning and station maintenance (Weekly)

- Review station data on Monitor My Watershed before and after station maintenance
- Visit station at least once a month (weekly is recommended)
- Clean sensor(s)
- Clear sediment and debris from under and near sensor(s)
- Clear vegetation and debris from around the logger and solar panel
- Complete Field Visit Data sheet and enter into online form
- Reference EnviroDIY Maintenance Quick Guide as needed

Conduct Quality Control (Quarterly and per situational needs)

- Review station data on Monitor My Watershed before and after conducting QC
- · Use calibrated hand-held meter to cross check station conductivity and temperature data
 - Make sure QC measurement and sensor station reading match up if they don't (difference greater than 10%), proceed with troubleshooting or contact Stroud Center
- If turbidity is a high priority, conduct cross check using a turbidity tube or turbidity meter when conditions are suitable (i.e., when water is cloudy/muddy enough to assess turbidity data)
- Use metric ruler and on-site QC rebar pin (or staff gauge) to cross check station depth data
- Swap microSD card with blank SD card and save data file to secure location
- Complete Field Visit Data sheet and enter into online form
- Reference EnviroDIY Quality Control Quick Guide as needed






Current lack of reliability of cell boards

- Stroud Center is testing NEW cell boards
- Updated Mayfly Data Logger coming soon
- Shannon more info?



Any questions before we move on?



Monthly Presentation

Hydrology of Jenkintown Creek and Naylors Run



Mike Burns, Villanova University, mburns35@villanova.edu



Zoom Survey



Questions for the presenter?





Future meeting presenters

- August 19 Jake Lemon and Matt Barney, Trout Unlimited (EnviroDIY at Trout Unlimited)
- September 17 Carol Armstrong, Penn State Master Watershed Steward (Pickering Creek)
- October 21 Stroud Center Reporting?

*Please be in touch if you'd like to do an owner/manager presentation or a focus topic presentation



Reminder: Resources to Support the Work

https://wikiwatershed.org/drwi/

General Resources

- EnviroDIY Field Visit Data
- → EnviroDIY Monitoring Station Help Resources
- Data and Data Visualization Resources
- Volunteer Management Guidance Materials
- WikiWatershed Toolkit
- Project Updates

Meetings, Workshops, and Conferences

- Monthly EnviroDIY-DRWI User Group Meetings
- User Support Workshops and Trainings
- Conference Presentations
- Watershed Ecology Workshops



Monthly Meetings

- Every third Thursday of the month
- 2:30-3:30p
- Zoom link will remain the same: https://us02web.zoom.us/j/81881801310?pwd=eUFmbXZLbmRibV cxa1dtNVhzRmNvZz09
- Station owners/managers organize volunteers/others to attend and share Zoom link



Mentors currently available

- Carol Armstrong (MWS), mnem.np@gmail.com, 610-659-7477
- George Seeds (MWS), geoseeds@verizon.net, 484-886-9586
- Rachel Johnson (Stroud Center), <u>rjohnson@stroudcenter.org</u>, 973-557-8995
- Christa Reeves (Stroud Center)(in the north, situational), christa@musconetcong.org, 727-520-5849

*Anyone else interested? If so get in touch with Stroud Center or Carol or George

Resources to Support the Work


 Delaware Basin EnviroDIY Monitoring Stations, private online group (https://wikiwatershed.org/groups/delaware-basin-sensor-stations/)



- Pose questions to the user group community
- Check for updates and new posts
- Set it for daily or weekly email updates



Conclusion



Onward!

