

Addressing Upstream Impacts on Streams

in First State National Historical Park

Kim Hachadoorian

The Nature
Conservancy





STREAM STEWARDS

The Nature
Conservancy



STROUD[™]
WATER RESEARCH CENTER

William Penn
WILLIAM PENN
FOUNDATION

www.nature.org/destreamstewards

Monitoring Strategy for Streams in FRST

Beaver Creek

- Upstream residential and agricultural

Ramsey Run

- Ag impact, mostly within park

Palmer Run


- Reference stream, forested

Hurricane Run

- Upstream development – new campus for Wilmington University

Rocky Run

- Headwaters in heavily developed residential and commercial area
- 2 sensor stations



First State
National Historical Park
Map 6 - Sub-watersheds



Legend

First State National Historical Park Boundary	Water bodies	Thompson Creek
Properties of Woodlawn Trustees	Brandywine Creek Watershed	Hurricane Run
State boundary	Beaver Creek North	Rocky Run
Roads	Beaver Creek South	Unnamed stream
Railroads	Talley Run	
Streams	Ramsey Run	
	Castle Creek	

0 0.25 0.5
Disclaimer: This map is not a survey. The Park Service makes no representation or warranty of property lines (or any other) no liability is assumed by reason of reliance.
Data sources: Subwatersheds generated from USGS National Elevation Dataset









Clean Melt

Natural. Green. Clean.

Acid-free, ready-to-use melt

Fast acting

Friendly

Melts to -10° F

Biodegradable



USA

100% Natural

100% Biodegradable

100% Acid-free

100% Safe

100% Effective

100% Clean

100% Green

100% Natural

100% Biodegradable

100% Acid-free

100% Safe

100% Effective

100% Clean

100% Green

100% Natural

100% Biodegradable

100% Acid-free

100% Safe

100% Effective

100% Clean

100% Green

100% Natural

100% Biodegradable

100% Acid-free

100% Safe

100% Effective

100% Clean

100% Green

100% Natural

100% Biodegradable





